








Lever Locksets



high quality lever locks



Finishes List	LN 26-27
KL 701	LN 11
KL 702	LN 12
KL 703	LN 13
KL 704	LN 14
KL 705	LN 15
KL 706	LN 16
KL 707	LN 17
KL 708	LN 18
KL 709	LN 19
KL-Rose	LN 20
LC 101	LN 4
LC 102	LN 5
LC 103	LN 6
LC 104	LN 7
LC-Linear Rose	LN 8-9
LC Rose	LN 10
4624A-LC 100	LN 22-23
4624A-KL 700	LN 24-25
5091 Series Latch	LN 21

	LC 100 Series	LN4 - LN7
	LC Linear Rose	LN8 - LN9
	LC Rose	LN10
	KL 700 Series	LN11 - LN19
	KL Rose	LN20
	5091 Series Latch	LN21
	4624A-LC100	LN22 - LN23
	4624A-KL700	LN24 - LN25
	Finishes List	LN26 - LN27

LC 101 SERIES

Finishes :


F91, F93, F94, F96~F102,
F91T, F97T, F100T, F102T,
C04, C05

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

LC101-B



Dimensions in millimeters

LC101-B



F91



Outside



Inside

(Concealed-Screw)

This design has been PATENTED

LC101-A



F91

LC101-C



F91

LC 102 SERIES

Finishes :


F91, F93, F94, F96~F102,
F91T, F97T, F100T, F102T,
C04, C05

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

LC102-A



Dimensions in millimeters

LC102-A




C04

(Concealed-Screw)

This design has been PATENTED

LC102-B



C04

LC102-C



C04

LC 103 SERIES

Finishes :


F91, F93, F94, F96~F102,
F91T, F97T, F100T, F102T,
C04, C05

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

LC103-C



Dimensions in millimeters


LC103-C



C05



Outside



Inside

(Concealed-Screw)


This design has been PATENTED

LC103-A



C05

LC103-B



C05

NEW

LC 104 SERIES

Finishes :

F91, F93, F94, F96~F102,
F91T, F97T, F100T, F102T,
C04, C05


Backset : 60mm, 70mm

Door Thickness :

35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

LC104-A



Dimensions in millimeters

LC104-A



F97T



Outside



Inside

(Concealed-Screw)

This design has been PATENTED

LC104-B



F97T

LC104-C



F97T


NEW

LC Linear Rose

R

Finishes :
F91, F93, F94, F96~F102,
F91T, F97T, F100T, F102T,
C04, C05

R



F103

Outside or Inside

Example: LC102-R-05-5091EN-70-F103-RH



F103



Outside



Inside

(Concealed-Screw)

This design has been PATENTED

Example: LC104-R-05-5091EN-70-F97T-RH



F97T



Outside



Inside

(Concealed-Screw)

This design has been PATENTED

NEW

LC Linear Rose

T


Finishes :

F91, F93, F94, F96~F102,
F91T, F97T, F100T, F102T,
C04, C05

T



F100T



Outside or Inside

Example: LC101-T-05-5091EN-70-F100T-RH



F100T



Outside




Inside

(Concealed-Screw)

This design has been PATENTED

Example: LC103-T-05-5091EN-70-F101-RH



F101



Outside





Inside


(Concealed-Screw)

This design has been PATENTED


LC Rose



A





B



C

How to Order

EXAMPLE : LC101-B-05-5091SSN-60-F97-RH-45DT							
Lever	Rose	Function	Latch	Backset	Finish	Door Hand	Door Thickness
LC101	B	05	5091-SSN	60	F97	RH	45DT
		Latch Bolt by key outside or by thumb turn inside. *Select other Function from page LN20	 *Select other kinds of Latch from page LN20	Matt Brown powder coating *Select other Finishes from page LN21	 Inside Outside	45mm	

KL 701 SERIES

Finishes :


F21, F22, F91, F93, F94,
F96~F103, F104T~F107T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL701-B



Dimensions in millimeters

KL701-B



F93

KL701-A



F93

KL701-C



F93

KL701-D




F93

KL 702 SERIES

Finishes :
F21, F22, F91, F93, F94,
F96~F103, F104T~F107T
Backset : 60mm, 70mm
Door Thickness :
35~44mm, 45~55mm
(Passed 200,000 Cycle Test)

KL702-D



Dimensions in millimeters

KL702-D



F21

KL702-A



F21

KL702-B



F21

KL702-C



F21

KL 703 SERIES

Finishes :


F21, F22, F91, F93, F94,
F96~F103, F104T~F107T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL703-C



Dimensions in millimeters

KL703-C



F94

KL703-A



F94

KL703-B



F94

KL703-D




F94

KL 704 SERIES


Finishes :
F21, F22, F91, F93, F94,
F96~F103, F104T~F107T
Backset : 60mm, 70mm
Door Thickness :
35~44mm, 45~55mm
(Passed 200,000 Cycle Test)

KL704-C



Dimensions in millimeters

KL704-C



F97

KL704-A



F97

KL704-B



F97

KL704-D



F97

KL 705 SERIES

Finishes :


F21, F22, F91, F93, F94,
F96~F103, F104T~F107T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL705-A



Dimensions in millimeters

KL705-A



F22

KL705-B



F22

KL705-C



F22

KL705-D




F22

KL 706 SERIES


Finishes :
F21, F22, F91, F93, F94,
F96~F103, F104T~F107T
Backset : 60mm, 70mm
Door Thickness :
35~44mm, 45~55mm
(Passed 200,000 Cycle Test)

KL706-D




Dimensions in millimeters

KL706-D



F101

KL706-A




F101

KL706-B



F101

KL706-C



F101

KL 707 SERIES

Finishes :


F21, F22, F91, F93, F94,
F96~F103, F104T~F107T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL707-B



Dimensions in millimeters

KL707-B



F100

KL707-A




F100

KL707-C



F100

KL707-D



F100

NEW

KL 708 SERIES


Finishes :
F21, F22, F91, F93, F94,
F96~F103, F104T~F107T

Backset : 60mm, 70mm


Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL708-D



KL708-D



F104T

KL708-A




F105T

KL708-B



F105T

KL708-C



F105T

NEW

KL 709 SERIES

Finishes :

F21, F22, F91, F93, F94,
F96~F103, F104T~F107T


Backset : 60mm, 70mm

Door Thickness :

35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL709-C



Dimensions in millimeters

KL709-C



F106T

KL709-A



F107T

KL709-B




F107T

KL709-D




F107T



KL Rose



How to Order

EXAMPLE : KL701-A-05-5091EN-70-F22-50DT						
Lever	Rose	Function	Latch	Backset	Finish	Door Thickness
KL701	A	05	5091-EN	70	F22	50DT
		Latch Bolt by key outside or by thumb turn inside. *Select other Function from page LN20	 *Select other kinds of Latch from page LN20	Satin Nickel *Select other Finishes from page LN21	50mm	

Latch for KL and LC Series

Model	Backset	Material	Photo	Latch Size
5091EN	60 & 70	Latch : Zinc Alloy , Reverdible Face & Strike Plate : Stainless Steel		
5091SSN	60 & 70	Latch : Stainless Steel , Reverdible Face & Strike Plate : Stainless Steel		 Face Plate Strike Plate

Function for KL and LC Series

Locations	Function NO.	External Appearances		Operations
		Outside	Inside	
Entrance	05			Latch Bolt by key outside or by thumb turn inside.
Privacy	65			Latch Bolt by thumb turn inside or open by emergency release by coin outside.
Bathroom or Washroom	68			Latchbolt by either lever unless both levers are locked by thumbturn in inside lever. Emergency open by coin or similar tools from outside lever. Occupancy indicator by thumbturn. * Available for KL Series only.
Passage	15			Latch Bolt by lever both side . Both levers always free.

4624A-LC100

Security Bolt with Lever

Finishes : F91, F93, F94, F96, F97, F98, F99
F100, F101, F102, C04, C05


Backset : 60mm, 70mm

Door Hand : LH / RH

Hub : For 5mm Square Spindle (inside)

Door Thickness : 35~44mm, 45~55mm
(Passed 200,000 Cycle Test)

4624A-RH



4624A - LC101 - A - 70 - RH - 45DT - C05

Security bolt with
key outside

Lever with
thumb turn inside

Rose



Backset

Door Hand

Door Thickness

Finish

Inside



Inside
(Concealed-Screw)

This design has been PATENTED

Outside



Roses

Select size of Roses from page LN7



F91
A




F93
B



F101
C

Levers with thumb turn inside


Select size of Levers from LC-100 Series



F98
LC101



F99
LC102



F100
LC103



F100T
LC104 **NEW**

Rose and Lever

Example for set



F97
LC101-B



F102
LC102-A



C04
LC103-C




F100T
LC104-A

4624A-KL700

Security Bolt with Lever


Finishes : F21, F22, F91, F93, F94,
F96~F103, F104T~F107T
Backset : 60mm, 70mm
Door Hand : LH / RH
Hub : For 5mm Square Spindle (inside)
Door Thickness : 35~44mm, 45~55mm
(Passed 200,000 Cycle Test)

4624A-RH



4624A - KL702 - D - 70 - RH - 45DT - F101

Security bolt with key outside Lever with thumb turn inside Rose Backset Door Hand Door Thickness Finish



Available for Rose "B" & "D" only

Roses

Select size of Roses from page LN15



F21
B



F91
D

Levers with thumb turn inside

Select size of Levers from KL-700 Series



F22
KL701




F93
KL702



F94
KL703




F97
KL704



F98
KL705



F99
KL706



F101
KL707



F105T
KL708 **NEW**



F106T
KL709 **NEW**

Rose and Lever


Example for set



F97
KL704-B



F100
KL705-D



F102
KL707-B



F105T
KL708-D





F106T
KL709-B

Finishes List

BONCO	Description	BONCO	Description
	F21 Bright chrome		F96 Matt D . grey powder coating
	F22 Satin nickel		F97 Matt brown powder coating
	F91 Matt black powder coating		F97T Matt brown powder coating with rough surface NEW
	F91T Matt black powder coating with rough surface NEW		F98 Matt D . orange powder coating
	F93 Matt white powder coating		F99 Matt champagne silver powder coating
	F93T Matt white powder coating with rough surface NEW		F100 Matt silver grey powder coating
	F94 Matt L . grey powder coating		F100T Matt silver grey powder coating with rough surface NEW

Finishes List

BONCO	Description	BONCO	Description
	F101 Matt champagne gold powder coating		F104T NEW Matt L . green powder coating with rough surface
	F102 Matt antique brass gold powder coating		F105T NEW Matt D. green powder coating with rough surface
	F102T NEW Matt antique brass gold powder coating with rough surface		F106T NEW Matt L . blue powder coating with rough surface
	F103 NEW Matt antique copper gold powder coating		F107T NEW Matt D. blue powder coating with rough surface
	C04 Matt champagne silver / Silver grey powder coating		C05 Matt champagne gold / Antique brass gold powder coating



Name of quality & dependability

www.boncohardware.com

BONCO Ironmongery Ltd.

Member of E. Bon Holdings (HKEx stock code 599)

18/F, First Commercial Building, 33 Leighton Rd., Causeway Bay, H.K.

Tel : (852) 2891 2188 Fax : (852) 2834 2652