



Lever Handles And Roses




high quality lever handles

NL802-H	LR4	NL-J	LR20
NL803-L	LR4	NL-K	LR20
NL804-K	LR5	NL-L	LR20
NL805-H	LR5	NL-M	LR20
NL806-C	LR5	NL-N	LR20
NL807-P	LR6	NL-P	LR20
NL808-M	LR6	NL-Q	LR20
NL809-A	LR7	NL-S	LR20
NL810-N	LR7	NL Escutcheon	LR21
NL811-Q	LR7	NL-AE	LR21
NL812-M	LR8	NL-CE	LR21
NL813-N	LR8	NL-HE	LR21
NL814-A	LR9	NL-JE	LR21
NL815-C	LR9	NL-KE	LR21
NL816-H	LR9	NL-LE	LR21
NL817-H	LR10	NL-ME	LR21
NL818-A	LR10	NL-NE	LR21
NL819-C	LR11	NL-PE	LR21
NL820-H	LR11	NL-QE	LR21
NL821-K	LR11	NL-SE	LR21
NL822-C	LR12	NL Roses Dimensions	LR22-23
NL823-H	LR12	5 Series Rose & Cylinder Escutcheon for Set	LR24
NL825-S	LR13	5 Series Bracket	LR25
NL826-A	LR13	5 Series Dimensions	LR26
NL827-A	LR13	5-A	LR24
NL828-A	LR14	5-AE	LR24
NL829-A	LR14	5-H	LR24
NL830-M	LR15	5-HE	LR24
NL831-H	LR15	How to Order	LR27
NL832-C	LR15	Installation Instructions	LR28-30
NL Series Dimensions	LR16-19	Information	LR31-32
NL Roses	LR20	Fix Back Plate.....	LR33
NL-A	LR20	AT Series.....	LR33
NL-C	LR20	Finishes.....	LR34-36
NL-H	LR20		




NL Series

LR4-19



Roses

LR20 & LR 22



Escutcheons

LR21




5 Series

LR24-26

Lever Set	Latch	Cylinder	Finish	Door Thickness (D/T)
NL802-5H-SHE	4650-60	46225-D	F21	50
			Bright Chrome	50mm


How to Order

LR27




Installation Instructions

LR28-30



Information

LR31-32



Fixing Back Plate, AT Series

LR33




Finishes

LR34-36

NL SERIES

Standard Finishes:
F21, F22, F91~F102,
F91T~F108T,
PVD (by request)

NL802-H




F97




F21

NL803-L




F16



F21

NL804-K



F105T




F22

NL805-H



F91



F17

NL806-C



F93



F302


NL SERIES

Standard Finishes:
F21, F22, F91~F102,
F91T~F108T,
PVD (by request)

NL807-P



F97




F99

NL808-M



F21




F106T

NL809-A



F97



F16

NL810-N




F306



F22

NL811-Q



F93T



F21

NL SERIES

Standard Finishes:
F21, F22, F91~F102,
F91T~F108T,
PVD (by request)

NL812-M



F96T




F311

NL813-N



F21



F102

NL814-A



F94T



F99

NL815-C




F91




F301

NL816-H



F21



F96T

NL SERIES

Standard Finishes:

F21, F22, F91~F102,
F91T~F108T,
PVD (by request)



NL817-H



C02



NL818-A



NL819-C



F91




F107T

NL820-H



F22



F302

NL821-K



F100



F304


NL SERIES

Standard Finishes:
F21, F22, F91~F102,
F91T~F108T,
PVD (by request)

NL822-C



F304




F104T

NL823-H




C02



F101

NL825-S

This design for powder coating only




F102




F97

NL826-A




F100




F106T

NL827-A



F91T




F21

NL SERIES

Standard Finishes:
F21, F22, F91~F102,
F91T~F108T,
PVD (by request)

NL828-A




F96T




F108T

NL829-A



F91




F101

NL830-M **NEW**




F97




F304

NL831-H **NEW**




F94T



F107T

NL832-C **NEW**




F104T




F102

NL SERIES


Dimensions
in millimeters




NL802-H




NL803-L




NL804-K




NL805-H




NL806-C




NL807-P



NL808-M




NL809-A




NL810-N

NL SERIES


Dimensions
in millimeters




NL811-Q




NL812-M




NL813-N




NL814-A




NL815-C




NL816-H



NL817-H




NL818-A




NL819-C

NL SERIES


Dimensions
in millimeters




NL820-H




NL821-K




NL822-C




NL823-H




NL825-S




NL826-A



NL827-A




NL828-A




NL829-A

NL SERIES


Dimensions
in millimeters



NL830-M **NEW**



NL831-H **NEW**



NL832-C **NEW**

NL ROSES

The trim design to be
chosen from Rose design
A - S

A



C




H



J



K



L



M



N




P



Q



S



NL ESCUTCHEONS

Cylinder Escutcheon

The trim design to be chosen from Rose design
AE - SE

AE



CE



HE



JE



KE



LE



ME



NE



PE



QE



SE




NL ROSES


Dimensions
in millimeters




Cassette Component




A




C




H



J





K




L

NL ROSES


Dimensions
in millimeters




M




N



P



Q



S

5 SERIES

Rose &
Cylinder Escutcheon



Outside



Inside



Outside



Inside

5 SERIES

Rose &
Cylinder Escutcheon

Rose design A & H

Bracket



Rose Bracket



Cylinder Escutcheon Bracket

5-A

Rose Cover



5-AE

Cylinder Escutcheon Cover



5-H

Rose Cover




5-HE

Cylinder Escutcheon Cover




5 SERIES

Dimensions
in millimeters





Top View



Template for 5 Series Bracket


Bracket




Rose




Cylinder Escutcheon




5-A



5-H




5-AE



5-HE

How to Order

EXAMPLE 1 : NL802-5H-5HE-4650-60-4622S-D-F21-50DT

	Lever Set	Lock	Cylinder	Finish	Door Thickness (D/T)
	NL802-5H-5HE	4650-60	4622S-D	F21	50
				Bright Chrome	50mm

EXAMPLE 2 : NL808-M-5091R-60-F21-45DT

	Lever Set	Latch	Backset	Finish	Door Thickness (D/T)
	NL808-M	5091R	60	F21	45
			60mm	Bright Chrome	45mm


EXAMPLE 3 : NL807-P-CLQ-05-F22-50DT

	Lever Set	Lock	Function Number	Finish	Door Thickness (D/T)
	NL807-P	CLQ	05	F22	50
			Entrance	Satin Nickel	50mm

EXAMPLE 4 : NL805-H-HE-4626-70-4622S-A-F21-55DT


	Lever Set	Lock	Cylinder	Finish	Door Thickness (D/T)
	NL805-H-HE	4626-70	4622S-A	F21	55
				Bright Chrome	55mm

Installation Instruction
For Example 1



Installation Instruction


For Example 3



1. Install the lockcase by inserting it into the cutout of the door.
2. Secure the outside cylinder and inside turn-piece to the lockcase by inserting the long retainer pins from the plate side.
3. Insert the square spindle into the hub.
4. Place the fixing brackets onto the door and fix them by tightening up two sets of (male and female screws) as shown in the diagram.
5. Reinforce and secure the fixing brackets by additional screws.
6. Secure the outside and inside lever to the fixing brackets. Tighten the levers to the square spindle with the little thread screw.
7. Finally, install the armored front.

Installation Instruction





For Example 4






1. Install the lockcase by inserting it into the cutout of the door.
2. Insert the square spindle into the hub.
3. Place the fixing brackets onto the door and fix them by tightening up two sets of screws.
4. Reinforce and secure the fixing brackets by additional screws.
5. Secure the outside and inside lever to the fixing brackets. Tighten the levers to the square spindle with the little thread screw.
6. Place the fixing brackets onto the door and fix them by tightening up four screws.
7. Insert the cylinder through the cylinder escutcheons.
8. Finally, install the armored front.





Information

The series below are recommended to use with **BONCO** lever handles and roses.




Series	Backset	Door Thickness	Strike Plate	Photo	Spindle
5091SS or 5091SSN Spring Latch	60&70 mm	35~55mm		 Latch: Stainless Steel, Reversible Face & Strike Plate: Stainless Steel	AA
5091E or 5091EN Spring Latch	60&70 mm	35~55mm		 Latch: Zinc Alloy, Reversible Face & Strike Plate: Stainless Steel	AA
5091R or 5091RN Spring Latch with Spring Hub	60&70mm	35~55mm		 Latch: Stainless Steel, Reversible Face & Strike Plate: Stainless Steel	AA
LL Series	50mm	40~50mm			AA

Series	Backset	Door Thickness	Strike Plate	Photo	Spindle
CL Series	50mm	45~55 mm			AA
CLQ Series	70 mm	45~55 mm			AA
4626 Series	60&70mm	35~55mm			AA
4650 Series	60&70mm	35~55mm			AA
4653 Series	60&70mm	35~55mm			AL/AR

Fixing Back Plate

Model	Photo	Dimension in mm	Used for
4681-BP			For 4900 Series Dummy Fixing
SBG-BP			For SB, HS & NL Series Levers Handle Dummy Fixing
SBG-BPD			For SBG, HSG & NLG Series Levers Handle Dummy Fixing
5-BP			For 5 Series Covers Dummy Fixing (door thickness must be over 38mm)

Aid Tool - AT Series

Model	Photo	Dimensions in mm	Used for
AT-01			For 49000 Series: 49901, 49903 & 49905
AT-02			For Cylinder Escutcheon: SB, HS & 5 Series Covers

Electroplate Finishes List

BONCO	Description	BONCO	Description
	F21 Bright chrome		F22 Satin nickel


BPC Finishes List

BONCO	Description	BONCO	Description
	F91 Matt black powder coating		F91T Matt black powder coating with rough surface
	F93 Matt white powder coating		F93T Matt white powder coating with rough surface
	F94T Matt light grey powder coating with rough surface		F96T Matt dark grey powder coating with rough surface
	F97 Matt brown powder coating		F97T Matt brown powder coating with rough surface
	F99 Matt champagne silver powder coating		F100 Matt silver grey powder coating

BONCO	Description	BONCO	Description
	F100T Matt silver grey powder coating with rough surface		F101 Matt champagne gold powder coating
	F102 Matt antique brass gold powder coating		F102T Matt antique brass gold powder coating with rough surface
	F104T Matt light green powder coating with rough surface		F105T Matt dark green powder coating with rough surface
	F106T Matt light blue powder coating with rough surface		F107T Matt dark blue powder coating with rough surface
	F108T Matt rose gold powder coating with rough surface		

 	C02 Matt light / dark grey powder coating with rough surface
---	--

PVD Finishes List

BONCO	Description	BONCO	Description
	F16 Polished brass		F17 Brushed brass
	F301 Polished bronze		F302 Brushed bronze
	F303 Brushed chrome		F304 Red gold
	F305 Brushed red gold		F306 Polished black chrome
	F307 Brushed black chrome		F308 Steel optic
	F310 Polished nickel		F311 Gold optic
	F316 Brushed nickel		



Name of quality & dependability

www.boncohardware.com

BONCO Ironmongery Ltd.
Member of E. Bon Holdings Ltd. (HKEx stock code 599)

18/F, First Commercial Building, 33 Leighton Rd., Causeway Bay, H.K.
Tel : (852) 2891 2188 Fax : (852) 2834 2652

