Elegant Touch To Entry



high quality handles locks



49901L	LA4	4934K	LA15
49903L	LA5	4935K	LA16
49905L	LA5	4936K	LA16
4919K	LA6	4955L	LA17
4920K	LA6	4956L	LA17
4921K	LA7	4957L	LA18
4922DTK	LA7	4958L	LA18
4922K	LA7	4959L	LA19
4923DH	LA8	4960L	LA19
4923K	LA8	49000 Series Dimensions	LA20
4924DTK	LA9	4900 Series Dimensions	LA21-23
4924K	LA9	Levers / Knobs	LA24-25
4925K	LA10	Dummy Cylinder / Cylinder Collars	LA26
4926DTK	LA10	Turn Pieces Plate / Knobs	LA26-27
4926K	LA11	Turn Pieces Plate / Turn Knobs Dimension	LA28
4927K	LA11	Finish	LA29
4928DTK	LA12	Combination	LA30-36
4928K	LA12	Mortise Locks / Rebated Kit	LA37-39
4929K	LA13	Single Side Spindle For Mortise	LA39
4930DTK	LA13	Mortise Locks Function	LA40-41
4930K	LA13	How to Order	LA42
4931K	LA14	Mortise Type of Cylinder	LA43
4932K	LA14	Table of Cylinder Lengths	LA44-46
4033K	Ι Λ15		







49000 Series LA4-5 / 20



LA6-19 / 21- 23 4900 Series



Levers / Knobs LA24-25



Dummy Cylinder / Cylinder Collars / Turn Pieces Plafe/ Turn Knobs


LA26-28




Finish LA29



Combination LA30-36



Mortise Locks/ Rebated Kit/ Spindle LA37-39



Mortise Locks Function / How to Order LA40-42




Table of Cylinders lengths LA43-46

Entrance Handle

Fully Concealed Type Fixing




The **BONCO** team would like to introduce our innovative approach to entrance handles, where no screws will be shown on the surface. Making the handle more sleek in your environment. This design is **PATENT** approved and registered.














Entrance Handle


4900 Series

We are pleased to introduce our full range of the best quality mortise locks with various exquisite decorative handles. All the mortise locks and brass made accessories are manufactured in our own plant with complete care to quality control. We hope you enjoy browsing through our 4900 Series product line.















Entrance Handle


Finishing


The 4900 series of **BONCO** Entrance Handles are available in different finishes. These finishes were chosen due to their compatibility with many, if not all, colour combinations of the environment in which the piece is fitted.













Entrance Handle


Tarnish-Free PVD Finish

It is a great obstacle to be trouble-free against tarnishing for brass made hardware. That is why **BONCO** has a private facility to provide the PVD treatment which gives you the trouble-free solution against tarnishing. Enjoy the longest life of shining accent on your doors.














Entrance Handle


Dependability and security

The simple design and solid functionality provides a premium touch every time you open the door. Simplicity reduces errors. **BONCO** optimizes and simplifies their products as an ongoing process to be reliable and dependable. Enjoy the beauty along with the security of **BONCO** products for years to come.















Entrance Handle

Design

Our design team brings ideas from different parts of the world to create pieces that are aesthetically pleasing to a wide audience. Whether you seek slim, curbed, or heavy imageries, you can find suitable models to match your taste. Accent your entryway and give the deepest impression to your visitors.

Connect Your Imagination

You will notice that existing **BONCO** products contain the same flavour of finishes. This allows the quality entrance handles to match seamlessly with the wide range of **BONCO** products and give the feeling of unity.















Entrance Handle

Flexibility

The **BONCO** 4900 series are thoughtfully suitable for both Euro Mortise and ANSI Mortise. Thus, it fits any kind of door set you may desire.


Varieties

The **BONCO** 4900 series have lots of varieties and combination you can choose from to fit your personal unique style.













Entrance Handle

Flexibility

The **BONCO** 4900 series are thoughtfully suitable for both Euro Mortise and ANSI Mortise. Thus, it fits any kind of door set you may desire.


Varieties

The **BONCO** 4900 series have lots of varieties and combination you can choose from to fit your personal unique style.















Dimensions in millimeters



The **BONCO** team would like to introduce our innovative approach to entrance handles, where no screws will be shown on the surface. Making the handle more sleek in your environment. This design is **PATENT** approved and registered.






425mm 53mm 53mm 144mm 144mm


49901L 49903L




49905L











Levers/Knobs

The following Designs of levers and knobs are available and suitable for all the trim designs.

SB201



SB202



SB203



SB204



SB205



SB206



SB207



SB208



SB209



SB210



SB211



SB212



SB213



SB214





































Dummy Cylinder / Cylinder Collars











Turn Pieces Plate/ Knobs

















Plates and knobs

Example for set



4680-1A



4680-4D



4680-5C



4680-6E



4680-7G

4680-1









4680-5







4680-8

NEW



4680-9




4680-10


NEW




Turn Knobs

Dimensions in millimeters











4680-3

4680-2




















Turn Pieces Plate

Dimensions in millimeters








41.5

45 S 32



4680-D

4680-E

4680-G





Finish




K Dummy	К	L	DH	DTK	DTL

K Dummy Entrance Handle with Dummy Cylinder
 K Entrance Handle with Knob inside
 L Entrance Handle with Lever inside
 DH Entrance Double Handle Set
 DTK Double Knobs with escutcheons
 DTL Double Levers with escutcheons











































































4627 ANSI Mortise Lock

BONCO high quality mortise locks conform to all performance standards. The combination of a **BONCO** mortise lock, with a **BONCO** Entrance Handle brings beauty and security to your doors. Depending on the size of the trims and doors, you can choose from a 64mm, 70mm or 95mm backset.




Rebated Kit - RK Series






Narrow strike plates and armored fronts are also available for thinner door



- 25mm throw solid brass dead bolt
- Saw-proof hardened steel pins in the dead bolt
- Anti-Friction latch bolt
- Anti-Panic release function (one action of inside knob or lever can retract both dead bolt & latch bolt)
- Split hubs are v for Knob & Lever use
- 2.5mm Thick Strike Plate
- Backset: 64mm, 70mm, 95mm
- High grade steel security strike is supplied for all keyed lock functions in addition to regular strike
- (Passed 500,000 cycle test)

4667 EURO Mortise Lock


BONCO high quality mortise locks conform to all performance standards. The combination of a **BONCO** mortise lock, with a **BONCO** Entrance Handle brings beauty and security to your doors. Depending on the size of the trims and doors, you can choose from a 60mm or 70mm backset.



Rebated Kit - RK Series

| RK-13 | Dimension in mm | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4653 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4650 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650, 4650 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650 & 4667 | Series (EURO Mortise Lock) | For 4626, 4626NS, 4650 & 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 4667 | Series (EURO Mortise Lock) | For 4626, 466

Narrow strike plates are also available for thinner door




- 25mm throw solid brass dead bolt
- Saw-proof hardened steel pins in the dead bolt
- Anti-Panic release function (one action of inside knob or lever can retract both dead bolt & latch bolt)
- Split hubs are available for Knob & Lever use
- 3mm Thick Strike Plate
- Backset: 60mm, 70mm
- (Passed 200,000 cycle test)




46275 ANSI Mortise Lock For Stainless Steel Dead Bolt & Latch

BONCO high quality mortise locks conform to all performance standards. The combination of a **BONCO** mortise lock, with a **BONCO** Entrance Handle brings beauty and security to your doors. The mortise lock of staninless steel dead bolt & latch is for 70mm backset only.



Narrow strike plates and armored fronts are also available for thinner door




- 25mm throw stainless steel dead bolt
- Stainless steel lach bolt
- Anti-Panic release function (one action of inside knob or lever retract both dead bolt & latch bolt)
- Split hubs are available for Knob & Lever use
- 2.5mm Thick Strike Plate
- Backset: only 70mm
- High grade steel security strikee is supplied for all keyed lock functions in addition to regular strike
- (Passed 500,000 cycle test)

Single Side Spindle For Mortise

AM - 60 / 65 / 70 / 90 AL - 65 / 70 / 80

Lactch bolt by knob (or lever) from single side.







inside

ANSI Mortise Lock

(Cylinders, Turn-pieces, Knobs, Levers, Handles are not included)


4627-A1 4627-B1 Entrance ('K') Entrance ('1') With Knob With Lever Single Cylinder Single Cylinder Half Spindle

Latch bolt by thumb-piece outside and knob (or lever) inside, If thumb-piece outside is locked by stopper button or projecting dead bolt, latch bolt by key outside and knob (or lever) inside. Dead bolt by key outside or turn-piece inside. Turning inside knob (or lever) retracts latch bolt and dead bolt simultaneously; leaving outside thumb-piece locked.


inside

4628-A1 4628-B1 Entrance / Entrance / Apartment ('DTK') Apartment ('DTL') With Knobs With Levers Single Cylinder Single Cylinder

Latch bolt by knob (or lever) from either side. If outside knob(or lever) is locked by stopper button or projecting dead bolt, latch bolt by key outside or knob (or lever) inside. Dead bolt by key outside or turn-piece inside. Turning inside knob (or lever) retracts latch bolt and dead bolt simultaneously. leaving outside knob (or lever) locked.




Latch bolt by thumb-piece outside and knob (or lever) inside. If thumb-piece outside is locked by stopper button or projecting dead bolt, latch bolt by key on either side and knob (or lever) inside. Dead bolt by key from either side. Turning inside knob (or lever) retracts latch bolt only; leaving outside thumb-piece locked.



Latch bolt by knob (or lever) from either side. If outside knob (or lever) is locked by stopper button or projecting dead bolt, latch bolt and dead bolt by key from either side. Turning inside knob (or lever) retracts latch bolt only; leaving outside knob (or lever) locked.






Latch bolt by thumb-piece from either side. If thumb-piece outside is locked by stopper button or projecting dead bolt, latch bolt by key outside or thumb-piece inside. Dead bolt by key outside or turn-piece inside. Thumb-piece inside retracts latch bolt and dead bolt simultaneously; leaving outside thumb-piece locked.

4629-A1 4629-B1 Single Cylinder, Single Cylinder, with Knobs with Levers Solid Spindle Solid Spindle inside inside outside

Latch bolt by knob (or lever) from either side. Dead bolt by key from outside or by turn-piece from inside. Key from outside does not retract latch bolt.


4627-A4

Entrance ('DH') With Double Handles **Double Cylinders**




Latch bolt by thumb-piece from either side. If thumb-peice outside is locked by stopper button or projecting dead bolt, latch bolt by key either side or thumb-piece inside. Dead bolt by key from either side. Thumb-piece inside retracts latch bolt only; leaving outside thumb-piece locked.

4629-A2



4629-B2 Double Cylinder, with Levers




Latch bolt by knob (or lever) from either side. Dead bolt by key from either side. Key



ANSI Mortise Lock


(Cylinders, Turn-pieces, Knobs, Levers, Handles are not included)







EURO Mortise Lock


(Cylinders, Turn-pieces, Knobs, Levers, Handles are not included)



Latch bolt by thumb-piece outside and knob (or lever) inside. If projecting dead bolt, latch bolt by key outside and knob (or lever) inside. Dead bolt by key outside or turn-piece inside. Turning inside knob (or lever) retracts latch bolt and dead bolt simultaneously.







How to Order

EXAMPLE (1): 4924K-SK-4627-A1-F16-70-RH-50DT (13 PIN THREE WAY KEY CYLINDER)									
Handle Design	Cylinder	Mortise Lock	Finish	Backset	Door Hand	Door Thickness			
4924K	SK	4627-A1	F16	70	RH	50			
	13 Pin Three Way Key Cylinder (With 5 Keys)		PVD Finish	70mm	Inside Outside	50mm			


EXAMPLE (2) : 4924DTL-SB206 -4628-B1-(28)-F21-70-LH-40DT (REGULAR 5-PIN CYLINDER)									
Handle Design	Cylinder	Mortise Lock	Finish	Backset	Door Hand	Door Thickness			
4924DTL-SB206	-	4628-B1-(28)	F21	70	LH	40			
	Regular 5 Pin Cylinder (With 3 Keys)		Bright Chrome	70mm	Inside Outside	40mm			

EXAMPLE (3) : 49001L-6P-4627S-A1-F21-RH-50DT (6-PIN CYLINDER)									
Handle Design	Cylinder	Mortise Lock	Finish	Backset	Door Hand	Door Thickness			
49901L	6P	4627S-A1	F21	70	RH	50			
	6 Pin Cylinder		Bright Chrome	70mm	Inside Outside	50mm			




Mortise Type Cylinders (Regular 5-Pin)
Mortise Type NS Cylinders (Regular 5-Pin)
Mortise Type 6P Cylinders (Regular 6-Pin
Mortise Type SK Cylinders (Three Way 13-Pin)


Regular Cylinders



Regular **NS** Cylinders



Regular **SK** Cylinders




No.	Length	No.	Length	No.	Length
CYL-D01-03	32mm	CYL-D01-07	40mm	CYL-D01-11	48mm
CYL-D01-04	34mm	CYL-D01-08	42mm	CYL-D01-12	50mm
CYL-D01-05	36mm	CYL-D01-09	44mm	CYL-D01-13	52mm
CYL-D01-06	38mm	CYL-D01-10	46mm	CYL-D01-14	54mm

Example Mortise Type Cylinders

CYL-D01 regular 5-pin key cylinder



CYL-**NS**D01 regular 5-pin key with prevent drill bar cylinder



CYL-**6P**D01 regular 6-pin key cylinder



CYL-**SK**D01 13-pin three way key cylinder



Table of Single CylindersFor 4627~4630 ANSI Mortise Lock

Oo, Cylinder L-Size	32mm	34mm	36mm	38mm	40mm	42mm	44mm	46mm	48mm	50mm
Cylinder L-Size Lock Model	(CYL-D01-03)	(CYL-D01-04)	(CYL-D01-05)	(CYL-D01-06)	(CYL-D01-07)	(CYL-D01-08)	(CYL-D01-09)	(CYL-D01-10)	(CYL-D01-11)	(CYL-D01-12)
4919	37~51mm	41~55zmm	45~59mm	49~63mm	53~67mm	57~71mm				
4920	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4921	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4922	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4923	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4924	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4925	38~52mm	42~56mm	46~60mm	50~64mm	54~68mm	58~72mm				
4926	38~52mm	42~56mm	46~60mm	50~64mm	54~68mm	58~72mm				
4927	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4928	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4929				29~43mm	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm
4930				29~43mm	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm
4931	27~41mm	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm	
4932	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm			
4933	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm	57~71mm			
4934	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm	57~71mm			
4935	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm			
4936	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm			
4955	45~59mm	49~63mm	53~67mm	57~71mm						
4956	45~59mm	49~63mm	53~67mm	57~71mm						
4957	38~52mm	42~56mm	46~60mm	50~64mm	54~68mm	58~72mm				
4958	38~52mm	42~56mm	46~60mm	50~64mm	54~68mm	58~72mm				
4959	38~52mm	42~56mm	46~60mm	50~64mm	54~68mm	58~72mm				
4960	38~52mm	42~56mm	46~60mm	50~64mm	54~68mm	58~72mm				
49901	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm	57~71mm			
49903	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm	57~71mm			
49905	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm	57~71mm			



Table of Double CylindersFor 4627~4630 ANSI Mortise Lock

Oo _o Cylinder L-Size Lock Model	32mm x2nos	34mm x2nos	36mm x2nos	38mm x2nos	40mm x2nos	42mm x2nos	44mm x2nos	46mm x2nos	
Lock Model	(CYL-D01-03)	(CYL-D01-04)	(CYL-D01-05)	(CYL-D01-06)	(CYL-D01-07)	(CYL-D01-08)	(CYL-D01-09)	(CYL-D01-10)	
4919	48~52mm	52~56mm	56~60mm						
4920	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm				
4921	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm				
4922	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm				
4923	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm				
4924	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm				
4925	49~53mm	53~57mm	57~61mm						
4926	49~53mm	53~57mm	57~61mm						
4927	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm				
4928	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm	48~52mm	52~56mm	56~60mm	
4929			36~40mm	40~44mm	44~48mm	48~52mm	52~56mm	56~60mm	
4930			36~40mm	40~44mm	44~48mm	58~62mm			
4931	38~42mm	42~46mm	46~50mm	50~54mm	54~58mm				
4932	46~50mm	50~54mm	54~58mm	58~62mm					
4933	40~44mm	44~48mm	48~52mm	52~56mm	56~60mm				
4934	40~44mm	44~48mm	48~52mm	52~56mm	56~60mm	58~62mm			
4935	38~42mm	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm			
4936	38~42mm	42~46mm	46~50mm	50~54mm	54~58mm	56~60mm			
4955	52~56mm	56~60mm							
4956	52~56mm	56~60mm							
4957	49~53mm	53~57mm	57~61mm						
4958	49~53mm	53~57mm	57~61mm						
4959	49~53mm	53~57mm	57~61mm						
4960	49~53mm	53~57mm	57~61mm						

Table of Single Cylinders

For 4667~4670 EURO Mortise Lock

Door Cylinder L-Size Lock Model	32mm	34mm	36mm	38mm	40mm	42mm	44mm	46mm	48mm	50mm
Lock Model	(CYL-D01-03)	(CYL-D01-04)	(CYL-D01-05)	(CYL-D01-06)	(CYL-D01-07)	(CYL-D01-08)	(CYL-D01-09)	(CYL-D01-10)	(CYL-D01-11)	(CYL-D01-12)
4919	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm					
4920	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4921	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4922	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4923	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4924	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4925	41~49mm	45~53mm	49~57mm	53~61mm						
4926	41~49mm	45~53mm	49~57mm	53~61mm						
4927	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4928	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4929			28~36mm	32~40mm	36~44mm	40~48mm	44-52mm	48~56mm	52~60mm	56~64mm
4930			28~36mm	32~40mm	36~44mm	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm
4931	30~38mm	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm			
4932	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm					
4933	36~44mm	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm				
4934	36~44mm	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm				
4935	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm					
4936	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm					
4955	48~56mm	52~60mm	56~64mm	60~68mm						
4956	48~56mm	52~60mm	56~64mm	60~68mm						
4957	41~49mm	45~53mm	49~57mm	53~61mm	57~65mm	61~69mm				
4958	41~49mm	45~53mm	49~57mm	53~61mm	57~65mm	61~69mm				
4959	41~49mm	45~53mm	49~57mm	53~61mm	57~65mm	61~69mm				
4960	41~49mm	45~53mm	49~57mm	53~61mm	57~65mm	61~69mm				
49901	36~44mm	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm	60~68mm			
49903	36~44mm	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm	60~68mm			
49905	36~44mm	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm	60~68mm			

^{*} For other door thickness, please send enquires to us.











BS.476.Part 22 :1987 防火試驗



BS EN 1634-1:2014

防火



















security handle locks h i g h mortise locks



www.boncohardware.com



