





Lever Locksets



high quality lever locks

4624A-KL700	LN36-37
4624A-LC100	LN34-35
4624A-RT600	LN32-33
5091 Series Latch	LN31
5091GN Series Latch	LN10
KL 701	LN20
KL 702	LN21
KL 703	LN22
KL 704	LN23
KL 705	LN24
KL 707	LN25
KL 708	LN26
KL 709	LN27
KL 710	LN28
KL 711	LN29
KL Rose	LN30
LC 101	LN11
LC 102	LN12
LC 103	LN13
LC 104	LN14
LC 105	LN15
LC 106	LN16
LC-Linear Rose	LN18-19
LC Rose	LN17
RT 601	LN4
RT 602	LN5
RT 603	LN6
RT 604	LN7
RT 605	LN8
RT Rose	LN9
Finishes List	LN38-39

 NEW	RT 600 Series & Rose	LN4 - 9
 NEW	5091GN Series Latch	LN10
	LC 100 Series & Rose	LN11 - 17
	LC Linear Rose	LN18 - 19
	KL 700 Series & Rose	LN20 - 30
	5091 Series Latch	LN31
 NEW	4624A-RT600	LN32 - 33
	4624A-LC100	LN34 - 35
	4624A-KL700	LN36 - 37
	Finishes List	LN38 - 39

Numerous patents, copyrights, and trademarks are held by us to protect the integrity and reputation of our distinctive line of hardware appointments. Manufacturer reserves all right of any modification, materials and specifications eithout notice.

NEW

RT 601 SERIES


Finishes :
F91~F102, F91T~ F108T

Backset : 60mm, 70mm

Door Thickness :
40~44mm, 45~55mm

(Passed 200,000 Cycle Test)


RT601-B



RT601-B



RT601-D



NEW
RT 602 SERIES


Finishes :
F91~102, F91T~ F108T

Backset : 60mm, 70mm


Door Thickness :
40~44mm, 45~55mm

(Passed 200,000 Cycle Test)


RT602-D



RT602-B



RT602-D



NEW

RT 603 SERIES


Finishes :
F91~F102, F91T~ F108T

Backset : 60mm, 70mm

Door Thickness :
40~44mm, 45~55mm


(Passed 200,000 Cycle Test)

RT603-B




Dimensions in millimeters

RT603-B



RT603-D



RT 604 SERIES

Finishes :

F91~102, F91T~ F108T


Backset : 60mm, 70mm

Door Thickness :


40~44mm, 45~55mm

(Passed 200,000 Cycle Test)


RT604-D



RT604-B



RT604-D



NEW

RT 605 SERIES


Finishes :
F91~F102, F91T~ F108T

Backset : 60mm, 70mm

Door Thickness :
40~44mm, 45~55mm


(Passed 200,000 Cycle Test)

RT605-B




Dimensions in millimeters


RT605-B




RT605-D



Rose for RT Series NEW



How to Order for RT Series



EXAMPLE : RT601-B-05-5091GN-70-F91-50DT						
Lever	Rose	Function	Latch	Backset	Finish	Door Thickness
RT601	B	05	5091GN	70	F91	50DT
		Latch Bolt by key outside or by thumb turn inside.			Matt black powder coating	50mm

Dimensions in millimeters


Latch for RT Series **NEW**

5091GN **PATENTED**

Latch : Aluminium with Magnetic
Backset : 60mm, 70mm
Door Thickness :
40~44, 45~55mm
(Passed 200,000 Cycle Test)



Strike Plate
(Stainless Steel)



Face Plate
(Stainless Steel)

Function for RT Series

Locations	Function NO.	External Appearances		Operations
		Outside	Inside	
Entrance	05			Latch Bolt by key outside or by thumb turn inside.
Privacy	65			Latch Bolt by thumb turn inside or open by emergency release by coin outside.
Passage	15			Latch Bolt by lever both side . Both levers always free.

Dimensions in millimeters

LC 101 SERIES

Finishes :


F91~F102, F91T~F108T,
C04, C05

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

LC101-B



Dimensions in millimeters

LC101-B



Outside



Inside

(Concealed-Screw)

PATENTED

F91

LC101-A



F91

LC101-C



F91

LC 102 SERIES

Finishes :


F91~F102, F91T~F108T,
C04, C05

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

LC102-A



Dimensions in millimeters

LC102-A




C04

(Concealed-Screw)


PATENTED

LC102-B



C04

LC102-C



C04

LC 103 SERIES


Finishes :
F91~F102, F91T~F108T,
C04, C05

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

LC103-C



Dimensions in millimeters

LC103-C



(Concealed-Screw)

PATENTED

C05

LC103-A



C05

LC103-B




C05

LC 104 SERIES

Finishes :
F91~F102, F91T~F108T,
C04, C05
Backset : 60mm, 70mm
Door Thickness :
35~44mm, 45~55mm
(Passed 200,000 Cycle Test)

LC104-A



Dimensions in millimeters


LC104-A



LC104-B



LC104-C



LC 105 SERIES

Finishes :


F91~F102, F91T~F108T,
C04, C05

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

LC105-A



Dimensions in millimeters

LC105-A



Outside


Inside

F96T

(Concealed-Screw)

PATENTED

LC105-B



F96T

LC105-C




F96T

LC 106 SERIES

Finishes :
F91~F102, F91T~F108T,
C04, C05
Backset : 60mm, 70mm
Door Thickness :
35~44mm, 45~55mm
(Passed 200,000 Cycle Test)

LC106-B



Dimensions in millimeters

LC106-B



F94T

(Concealed-Screw)

PATENTED

LC106-A





F94T

LC106-C




F94T


LC Rose



A





B



C

How to Order

EXAMPLE : LC101-B-05-5091SSN-60-F97-RH-45DT

Lever	Rose	Function	Latch	Backset	Finish	Door Hand	Door Thickness
LC101	B	05	5091-SSN	60	F97	RH	45DT
		Latch Bolt by key outside or by thumb turn inside. *Select other Function from page LN31	 *Select other kinds of Latch from page LN31	Matt Brown powder coating *Select other Finishes from page LN38-39	 Inside Outside	45mm	

LC Linear Rose


R

Finishes :
F91~F102, F91T~F108T,
Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)


R



F102

Outside or Inside


Example: LC102-R-05-5091EN-70-F102-RH



F102



Outside



Inside

(Concealed-Screw)

PATENTED

Example: LC104-R-05-5091EN-70-F97T-RH



F97T



Outside



Inside

(Concealed-Screw)

PATENTED

LC Linear Rose

T

Finishes :

F91~F102, F91T~F108T,

Backset : 60mm, 70mm

Door Thickness :


35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

T



F100T



Outside or Inside

Example: LC101-T-05-5091EN-70-F100T-RH



F100T



Outside




Inside

(Concealed-Screw)

PATENTED

Example: LC103-T-05-5091EN-70-F101-RH



F101



Outside



Inside

(Concealed-Screw)

PATENTED

KL 701 SERIES

Finishes :


F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL701-B



Dimensions in millimeters

KL701-B



F93

KL701-A




F93

KL701-C



F93

KL701-D



F93

KL 702 SERIES

Finishes :


F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL702-D



Dimensions in millimeters

KL702-D



F21

KL702-A



F21

KL702-B



F21

KL702-C



F21

KL 703 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL703-C



Dimensions in millimeters

KL703-C



F94T

KL703-A



F94T

KL703-B



F94T

KL703-D



F94T

KL 704 SERIES

Finishes :


F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL704-C



Dimensions in millimeters

KL704-C



F97

KL704-A




F97

KL704-B



F97

KL704-D



F97

KL 705 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL705-A



Dimensions in millimeters

KL705-A



F22

KL705-B



F22

KL705-C



F22

KL705-D



F22

KL 707 SERIES

Finishes :


F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL707-B



Dimensions in millimeters

KL707-B



F100

KL707-A




F100

KL707-C



F100

KL707-D



F100

KL 708 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm


Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL708-D



KL708-D



F104T

KL708-A




F105T

KL708-B



F105T

KL708-C



F105T

KL 709 SERIES

Finishes :


F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL709-C



Dimensions in millimeters

KL709-C



F106T

KL709-A



F107T

KL709-B



F107T

KL709-D



F107T

KL 710 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL710-B



KL710-B



F91T

KL710-A



F96T

KL710-C



F96T

KL710-D



F96T

KL 711 SERIES

Finishes :


F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL711-A



Dimensions in millimeters

KL711-A



F93T

KL711-B



F97T

KL711-C




F97T

KL711-D




F97T



KL Rose



How to Order

EXAMPLE : KL701-A-05-5091EN-70-F22-50DT						
Lever	Rose	Function	Latch	Backset	Finish	Door Thickness
KL701	A	05	5091-EN	70	F22	50DT
		Latch Bolt by key outside or by thumb turn inside. *Select other Function from page LN31	 *Select other kinds of Latch from page LN31	Satin Nickel *Select other Finishes from page LN38-39	50mm	

Latch for KL and LC Series

Model	Backset	Material	Photo	Latch Size
5091EN	60 & 70	Latch : Zinc Alloy , Reverdible Face & Strike Plate : Stainless Steel		
5091SSN	60 & 70	Latch : Stainless Steel , Reverdible Face & Strike Plate : Stainless Steel		

Function for KL and LC Series

Locations	Function NO.	External Appearances		Operations
		Outside	Inside	
Entrance	05			Latch Bolt by key outside or by thumb turn inside.
Privacy	65			Latch Bolt by thumb turn inside or open by emergency release by coin outside.
Bathroom or Washroom	68			Latchbolt by either lever unless both levers are locked by thumbturn in inside lever. Emergency open by coin or similar tools from outside lever. Occupancy indicator by thumbturn. * Available for KL Series only.
Passage	15			Latch Bolt by lever both side . Both levers always free.


NEW

4624A-RT600

Security Bolt with Lever


Finishes : F91~F102, F91T~F108T
Backset : 60mm, 70mm
Door Hand : LH / RH
Hub : For 5mm Square Spindle (inside)
Door Thickness : 40~44mm, 45~55mm
(Passed 200,000 Cycle Test)

4624A-RH




4624A - RT601 - B - 70 - RH - 45DT - F99R


- Security bolt with key outside
- Lever with thumb turn inside
- Rose
- Backset
- Door Hand
- Door Thickness
- Finish



Roses



**F99R
B**



**F100
D**

Levers

Select size of Levers from RT600 Series



**F99R
RT601**



**F102T
RT602**



**F101
RT603**



**F100
RT604**




**F93T
RT605**

Rose and Lever


Example for set




**F99R
RT601-B**




**F102T
RT602-D**



**F101
RT603-B**



**F100
RT604-D**




**F93T
RT605-B**

4624A-LC100

Security Bolt with Lever


Finishes : F91~F102, F91T~F108T,
C04, C05
Backset : 60mm, 70mm
Door Hand : LH / RH
Hub : For 5mm Square Spindle (inside)
Door Thickness : 35~44mm, 45~55mm
(Passed 200,000 Cycle Test)

4624A-RH




4624A - LC101 - A - 70 - RH - 45DT - C05


Security bolt with key outside	Lever with thumb turn inside	Rose	Backset	Door Hand	Door Thickness	Finish
-----------------------------------	---------------------------------	------	---------	-----------	----------------	--------




Roses



F91
A



F93
B



F101
C

Levers with thumb turn inside


Select size of Levers from LC-100 Series



F97
LC101



F99
LC102



F100
LC103



F100T
LC104



F96T
LC105



F94T
LC106

Rose and Lever

Example for set



F97
LC101-B



F102
LC102-A



C04
LC103-C



F100T
LC104-A



F96T
LC105-A




F94T
LC106-B

4624A-KL700

Security Bolt with Lever


Finishes : F21, F22, F91~F102,
F91T~F108T
Backset : 60mm, 70mm
Door Hand : LH / RH
Hub : For 5mm Square Spindle (inside)
Door Thickness : 35~44mm, 45~55mm
(Passed 200,000 Cycle Test)

4624A-RH





4624A - KL702 - D - 70 - RH - 45DT - F101

Security bolt with key outside Lever with thumb turn inside Rose Backset Door Hand Door Thickness Finish



Roses



Levers with thumb turn inside

Select size of Levers from KL-700 Series



F22
KL701




F93
KL702




F94T
KL703



F97
KL704



F100
KL705



F101
KL707



F105T
KL708



F106T
KL709



F91T
KL710




F97T
KL711

Rose and Lever

Example for set



F97
KL704-B



F102
KL707-B



F105T
KL708-B



F106T
KL709-B



F91T
KL710-B

Finishes List

BONCO	Description	BONCO	Description
	F21 Bright chrome		F22 Satin nickel
	F91 Matt black powder coating		F91T Matt black powder coating with rough surface
	F93 Matt white powder coating		F93T Matt white powder coating with rough surface
	F94T Matt light grey powder coating with rough surface		F96T Matt dark grey powder coating with rough surface
	F97 Matt brown powder coating		F97T Matt brown powder coating with rough surface
	F99 Matt champagne silver powder coating		F99R Rough touch champagne silver powder coating
	F100 Matt silver grey powder coating		F100T Matt silver grey powder coating with rough surface

NEW

Finishes List

BONCO	Description	BONCO	Description
	F101 Matt champagne gold powder coating		F102 Matt antique brass gold powder coating
	F102T Matt antique brass gold powder coating with rough surface		F104T Matt light green powder coating with rough surface
	F105T Matt dark green powder coating with rough surface		F106T Matt light blue powder coating with rough surface
	F107T Matt dark blue powder coating with rough surface		F108T Matt rose gold powder coating with rough surface
 + 	C04 Matt champagne silver / Silver grey powder coating	 + 	C05 Matt champagne gold / Antique brass gold powder coating



Name of quality & dependability

www.boncohardware.com

BONCO Ironmongery Ltd.
Member of E. Bon Holdings Ltd. (HKEx stock code 599)

18/F, First Commercial Building, 33 Leighton Rd., Causeway Bay, H.K.
Tel : (852) 2891 2188 Fax : (852) 2834 2652

